

Settings I Use

CPS – Optional Setting =

Optional Setting

Work Mode | Vox/BT | STE | FM | Power Save | Key Function | Other | Digital Func
Power-on | **Alert Tone** | Display | GPS/Ranging | VFO Scan | Auto repeater | Record | Volume/Audio

Alert Tone

SMS Alert: None

Call Alert: None

Digi Call ResetTone: Off

Talk Permit: Digital

Key Tone: Off

Idle Channel Tone: Off

Startup Sound: Off

Volume Change Prompt: Off

Key Sound Adjustable: Adjustable

Idle Channel Tone

	Frequency[Hz]	Period[ms]	Play
First Tone	1500	100	
Second Tone	600	100	
Third Tone	0	100	
Fourth Tone	0	100	
Fifth Tone	0	100	

Call Tone

	Frequency[Hz]	Period[ms]	Play
First Tone	0	40	
Second Tone	1570	40	
Third Tone	1050	40	
Fourth Tone	1570	40	
Fifth Tone	1320	40	

Call Reset Tone

	Frequency[Hz]	Period[ms]	Play
First Tone	1900	100	
Second Tone	800	100	
Third Tone	0	100	
Fourth Tone	0	100	
Fifth Tone	0	100	

OK Cancel

Optional Setting

Power-on | Alert Tone | Display | GPS/Ranging | VFO Scan | **Power Save** | Auto repeater | Record | Volume/Audio
Work Mode | Vox/BT | STE | FM | Power Save | Key Function | Other | Digital Func

Power Save

Auto Shutdown: Off

Power save: Off

Auto Shutdown Type: is not affected by call

Optional Setting



Work Mode	Vox/BT	STE	FM	Power Save	Key Function	Other	Digital Func
Power-on	Alert Tone	Display	GPS/Ranging	VFO Scan	Auto repeater	Record	Volume/Audio

Display	
Brightness	5
Auto Backlight Duration	Always
Backlight Delay Of TX[s]	Off
Menu Exit Time[s]	30
Time Display	Off
Last Caller	Show Both
Call Display Mode	Call Sign Based
Call Sign Display Color	Red
Call End Prompt Box	Off
Display Channel Number	Actual Channel Number
Display Current Contact	On
Standby Char Color	Write
Standby BK Picture	Default
Show Last Call On Launch	Off
Separate display	Off
CH Switching Keeps Last Caller	Off
A Channel Name Color	Red
Receive Backlight Delay[s]	Always
B Channel Name Color	Red
Zone Name Colour A	Red
Zone Name Colour B	Red

Optional Setting



Work Mode	Vox/BT	STE	FM	Power Save	Key Function	Other	Digital Func
Power-on	Alert Tone	Display	GPS/Ranging	VFO Scan	Auto repeater	Record	Volume/Audio

Volume/Audio	
Maximum Volume	8
Max Headphone Volume	8
Mic Gain	4
Enhanced Sound Quality	Off

Optional Setting

Power-on | Alert Tone | Display | GPS/Ranging | VFO Scan | Auto repeater | Record | Volume/Audio
 Work Mode | Vox/BT | STE | FM | Power Save | Key Function | Other | Digital Func

Other

Address Book Is Sent With Its Own Code	On	TOT Predict	On
TOT	180s	TxPow Agc	Off
Language	English		
Frequency Step	12.5K		
SQL Level(A)	1		
SQL Level(B)	1		
TBST	1000Hz		
Analog Call Hold Time[s]	2		
call channel is maintained	Off		
Priority Zone A	1		
Priority Zone B	1		
Mute timing	1minute		
Encryption Type	Common		

Optional Setting

Power-on | Alert Tone | Display | GPS/Ranging | VFO Scan | Auto repeater | Record | Volume/Audio
 Work Mode | Vox/BT | STE | FM | Power Save | Key Function | Other | Digital Func

Digital Func:

Group Call Hold Time	5s	
Private Call Hold Time	30s	
Manual Dial - Group TG Hold Time	30min	
Manual Dial - Private TG Hold Time	30min	
Prewave Time	100ms	Recommend setting is 100mS.
Wake Head Period	100ms	Recommend setting is 100mS.
Filter Own ID In MissCall	On	
Digital Remote Stun&&Kill	Off	
Digital Monitor	Single Slot	
Digital Monitor CC	Any	
Digital Monitor ID	Any	
Monitor Slot Hold	Off	
Remote Monitor	Off	
SMS Format	M-SMS	

<http://tiny.cc/AnytoneDMR>